



**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL**

Version 3.0 / USA
102000005030

1/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKING**

Product identifier

Trade name MAXFORCE® FC PROFESSIONAL INSECT CONTROL® ANT KILLER
BAIT GEL

Product code (UVP) 05955726

SDS Number 102000005030

EPA Registration No. 432-1264

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

**Emergency Telephone
Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)

**Product Information
Telephone Number** 1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Average % by Weight |
|--------------------------|-------------|---------------------|
| Fipronil | 120068-37-3 | 0.001 |



**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL**

Version 3.0 / USA
102000005030

2/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

SECTION 4: FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|---|
| General advice | When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. |
| Skin contact | Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately. |
| Eye contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended. |

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Foam, Carbon dioxide (CO₂), Dry chemical

Unsuitable None known.

Special hazards arising from the substance or mixture In the event of fire the following may be released: Carbon monoxide (CO), Nitrogen oxides (NO_x), Sulphur oxides, Hydrogen chloride (HCl), Hydrogen fluoride

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL**

Version 3.0 / USA
102000005030

3/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

| | |
|---------------------------------|-------------------|
| Flash point | 93.4 °C |
| Autoignition temperature | no data available |
| Lower explosion limit | not applicable |
| Upper explosion limit | not applicable |
| Explosivity | no data available |

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.
Product will stain porous surfaces.

Advice on protection against fire and explosion Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of reach of children and animals.



**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL**

Version 3.0 / USA
102000005030

4/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|-----------------------------------|-------------|----------------------|---------|----------|
| Fipronil | 120068-37-3 | 0.035 mg/m3 (TWA) | | OES BCS* |
| Fipronil | 120068-37-3 | 50ug/m3 (ST ESL) | 03 2012 | TX ESL |
| Fipronil | 120068-37-3 | 5ug/m3 (AN ESL) | 03 2012 | TX ESL |
| Sucrose | 57-50-1 | 10 mg/m3 (TWA) | 02 2012 | ACGIH |
| Sucrose (Total) | 57-50-1 | 10 mg/m3 (REL) | 2010 | NIOSH |
| Sucrose (Respirable.) | 57-50-1 | 5 mg/m3 (REL) | 2010 | NIOSH |
| Sucrose (Total dust.) | 57-50-1 | 15 mg/m3 (PEL) | 02 2006 | OSHA Z1 |
| Sucrose (Respirable fraction.) | 57-50-1 | 5 mg/m3 (PEL) | 02 2006 | OSHA Z1 |
| Sucrose (Respirable fraction.) | 57-50-1 | 5 mg/m3 (TWA) | 1989 | OSHA Z1A |
| Sucrose (Total dust.) | 57-50-1 | 15 mg/m3 (TWA) | 1989 | OSHA Z1A |
| Sucrose (Total dust.) | 57-50-1 | 15 mg/m3 (TWA) | 06 2008 | TN OEL |
| Sucrose (Respirable fraction.) | 57-50-1 | 5 mg/m3 (TWA) | 06 2008 | TN OEL |
| Sucrose (Particulate.) | 57-50-1 | 50ug/m3 (ST ESL) | 02 2013 | TX ESL |
| Sucrose (Particulate.) | 57-50-1 | 5ug/m3 (AN ESL) | 02 2013 | TX ESL |

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses with side-shields



MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL

Version 3.0 / USA
102000005030

5/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

| | |
|------------------------------------|---|
| Skin and body protection | Wear long-sleeved shirt and long pants and shoes plus socks. |
| General protective measures | Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|-------------------------------------|
| Appearance | yellow |
| Physical State | gel |
| Odor | sweet |
| Odour Threshold | no data available |
| pH | 5.0 - 6.0 at 100 % (55 - 70 °C) |
| Vapor Pressure | no data available |
| Vapor Density (Air = 1) | no data available |
| Density | ca. 1.27 g/cm ³ at 20 °C |
| Evaporation rate | not applicable |
| Boiling Point | not applicable |
| Melting / Freezing Point | 60 °C / 140 °F |
| Water solubility | no data available |
| Minimum Ignition Energy | no data available |
| Decomposition temperature | no data available |
| Partition coefficient: n-octanol/water | no data available |
| Viscosity | not applicable |
| Flash point | 93.4 °C |
| Autoignition temperature | no data available |
| Lower explosion limit | not applicable |
| Upper explosion limit | not applicable |
| Explosivity | no data available |



MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL

Version 3.0 / USA
102000005030

6/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

SECTION 10: STABILITY AND REACTIVITY

Reactivity

| | |
|---|--|
| Thermal decomposition | no data available |
| Chemical stability | Stable under recommended storage conditions. |
| Possibility of hazardous reactions | No hazardous reactions when stored and handled according to prescribed instructions. |
| Conditions to avoid | Extremes of temperature and direct sunlight. Exposure to moisture. |
| Incompatible materials | Strong bases, Strong acids, Strong oxidizing agents |
| Hazardous decomposition products | No decomposition products expected under normal conditions of use. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|--------------------------|--------------------------------------|
| Exposure routes | Ingestion, Skin contact, Eye contact |
| Immediate Effects | |
| Eye | May cause mild irritation to eyes. |
| Skin | Mild skin irritation. |
| Ingestion | May be harmful if swallowed. |

Information on toxicological effects

| | |
|------------------------------|--------------------------------|
| Acute oral toxicity | LD50 (rat) > 5,000 mg/kg |
| Acute dermal toxicity | LD50 (rat) > 5,000 mg/kg |
| Skin irritation | Slight irritation (rabbit) |
| Eye irritation | Minimally irritating. (rabbit) |
| Sensitisation | Non-sensitizing. (guinea pig) |

Assessment repeated dose toxicity

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

Assessment Mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Fipronil caused an increased incidence of tumours in rats in the following organ(s): thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.



MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL

Version 3.0 / USA
102000005030

7/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

| | |
|----------------------------------|--|
| Biodegradability | Fipronil: ; not rapidly biodegradable |
| Koc | Fipronil: Koc: 427 - 1278 |
| Bioaccumulation | Fipronil: Bioconcentration factor (BCF) 321; Does not bioaccumulate. |
| Mobility in soil | Fipronil: Slightly mobile in soils |
| Environmental precautions | Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label. |

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|---|
| Product | Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor or outdoor drain. |
| Contaminated packaging | Do not re-use empty containers. Place empty container in trash. |



**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL**

Version 3.0 / USA
102000005030

8/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1264

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:



MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ANT KILLER BAIT GEL

Version 3.0 / USA
102000005030

9/9
Revision Date: 02/25/2014
Print Date: 02/26/2014

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Hazard statements: Caution!
May be harmful if swallowed.
Avoid contact with skin, eyes and clothing.
Keep exposed gel away from open food and food contact surfaces.
Hazard to humans and domestic animals.
Keep out of reach of children and animals.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 02/25/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.